

FIG. 1a.




FIG. 1b.




FIG. 1c. FIG. 1d.




FIG. 2.

PURIFIED EXTRACELLULAR PROTEINS STUDIED	
APPARENT MW BY SDS-PAGE (KD)	N TERMINAL 5 AMINO ACIDS
110	NSKSV
80	TDRVS
*71	ARAVG
58	TEKTP
45	DPEPA
*32A	FSRPG
32B	FSRPG
*30	FSRPG
24	APYEN
23.5	APKTY
*23	AETYL
*16	AYPIT
14	ADPRL
12	FDTRL

FIG. 3.

EXTENDED N-TERMINAL SEQUENCE OF 30/32 KD COMPLEX OF M. TUBERCULOSIS EXTRACELLULAR PROTEINS	
	1 10 20
30	F S R P G L P V E Y L Q V P S P S M G R
32A	- - - - - - - - - - - - - - - -
32B	- - - - - - - - - - - - - A - - - -
	21 30 40
30	D I K V Q F Q S G G N N S P A V Y L L D
32A	- - - - - - - - - A - - - - L - - - -
32B	- -





FIG. 4.

FIG. 5.






FIG. 6.






FIG. 7.






FIG. 9.




FIG. 10.




FIG. 11.




FIG. 12a.




FIG. 12b.




FIG 13




FIG. 14




FIG. 15.




FIG. 16.




FIG. 17.




Fig. 18.






FIG. 19




FIG. 20

IL-12 (Murine and Human)




FIG. 21

IL-12 (Murine and Human)




FIG. 22




FIG. 23




FIG. 24




Fig. 25